

# *annals of* **NUCLEAR ENERGY**

---

**Volume 26**

**1999**

## **List of Contents and Author Index**

### *Executive Editors*

**M. M. R. Williams**

University of London, U.K.

**L. E. Weaver**

Florida Institute of Technology, Melbourne, U.S.A.

### *Associate Editor*

**A. K. Prinja**

University of New Mexico, Albuquerque, U.S.A.



**Pergamon**

---

## EXECUTIVE EDITORS

L. E. WEAVER  
President, Florida Institute of Technology,  
150 W. University Boulevard, Melbourne,  
FL 32901-6988, U.S.A.

M. M. R. WILLIAMS  
University of London,  
London, U.K.

## ASSOCIATE EDITOR

A. K. PRINJA  
Department of Chemical and Nuclear Engineering, University of New Mexico,  
Albuquerque, NM 87131, U.S.A.

## ADVISORY EDITORS

F. W. ALBAUGH, *Richland, U.S.A.*  
T. D. BEYNON, *Birmingham, U.K.*  
R. A. BONALUMI, *North York, Canada*  
H. FENECH, *Santa Barbara, U.S.A.*  
W. FRANKOWSKI, *Warsaw, Poland*  
B. D. GANAPOL, *Tucson, U.S.A.*  
A. GANDINI, *Rome, Italy*  
R. A. KARAM, *Atlanta, U.S.A.*  
A. KLEIN, *Corvallis, U.S.A.*  
H. KONNO, *Ibaraki, Japan*  
J. MILDA, *Tokai, Japan*  
J. L. MUÑOZ-COBO, *Valencia, Spain*

R. L. MURRAY, *Raleigh, U.S.A.*  
D. OKRENT, *Los Angeles, U.S.A.*  
A. E. PARSHAKOV, *Kiev, Ukraine*  
A. M. PERRY, *Oak Ridge, U.S.A.*  
W. ROTHENSTEIN, *Haifa, Israel*  
D. C. SAHNI, *Bombay, India*  
A. SCHNEIDER, *Atlanta, U.S.A.*  
B. I. SPINRAD, *Seattle, U.S.A.*  
R. J. J. STAMM'LER, *Gaithersburg, U.S.A.*  
D. B. TRAUGER, *Oak Ridge, U.S.A.*  
R. E. UHRIG, *Knoxville, U.S.A.*  
F. P. WEISS, *Dresden, Germany*

**Publishing Office:** Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.  
[Tel. +44 (0)1865 843000; Fax +44 (0)1865 843010].

**Advertising information.** Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561-5033; fax: (+81) (3) 5561-5047. **Europe and ROW:** Rachel Gresle-Farthing, The Advertising Department, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.gresle-farthing@elsevier.co.uk.

**Publication information:** *Annals of Nuclear Energy* (ISSN 0306-4549). For 1999, volume 26 is scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from the journal's website (<http://www.elsevier.com/locate/anucene>). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (<http://www.elsevier.nl>). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

**Orders, claims, and product enquiries:** please contact the Customer Support Department at the Regional Sales Office nearest you:

**New York:** Elsevier Science, PO Box 945, New York, NY 10159-0945, USA; phone: (+1) (212) 633 3730 [toll free number for North American customers: 1-888 4ES-INFO (437-4636)]; fax: (+1) (212) 633 3680; e-mail: usinfo-f@elsevier.com

**Amsterdam:** Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl

**Tokyo:** Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp

**Singapore:** Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192; phone: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asianfo@elsevier.com.sg

**Rio de Janeiro:** Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above].

**Back Issues:** Back issues of all previously published volumes are available direct from Elsevier Science Offices (Oxford and New York). Complete volumes and single issues can be purchased for 1995-1998. Earlier issues are available in high quality photo-duplicated copies as complete volumes only. Back volumes on microfilm are available from UMI, 300 North Zeeb Road, Ann Arbor, MI 48106, U.S.A.

© 1999 Elsevier Science Ltd. All rights reserved.

Periodicals postage is paid at Rahway, NJ. *Annals of Nuclear Energy* (ISSN 0306-4549) is published (18 issues per year monthly plus additional issues in January, March, May, July, September and November) by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK. The US subscription price is \$2361 per year.

**POSTMASTER:** Send address corrections to: *Annals of Nuclear Energy*, Elsevier Science, Customer Support Department, PO Box 945, New York, NY 10159-0945.

**Distributed** in the USA by Mercury Airfreight International, 365 Blair Road, Avenel, NJ 07001.

# LIST OF CONTENTS

## NUMBER 1

- |   |   |
|---|---|
| G. Vladuca, M. Sin<br>and C.C. Negoita    | 1 Neutron cross-sections of $^{240}\text{Pu}$ in the energy<br>range 0.01–5.5 MeV                                     |
| S. Şahin and H. Yapıcı                    | 13 Neutronic analysis of a thorium fusion<br>breeder with enhanced protection against<br>nuclear weapon proliferation |
| J.-W. Park                                | 29 A subchannel analysis of DUPIC fuel bundle<br>for the CANDU reactor  |
| Y.-H. Koo, B.-H. Lee,<br>and D.-S. Sohn   | 47 COSMOS: a computer code to analyze<br>LWR $\text{UO}_2$ and MOX fuel up to high burnup                             |
| G.C. Bakos                                | 69 Direct energy generation from $\gamma$ -radiation  |
| M. Rosselet, R. Chawla<br>and T. Williams | 75 Investigation of the $k_{\text{eff}}$ -variation upon water<br>ingress in a pebble-bed LEU-HTR                     |

## NUMBER 2

- |   |  |
|---|--|
| J. Janczyszyn, G. Domańska,<br>W. Pohorecki | 83 Measurement of cross-section for $^{24}\text{Na}$<br>production from magnesium isotopes by<br>13.5–18.0 MeV neutrons    |
| S. Şahin, A. Sözen                          | 91 Critical neutron heating in the control drums<br>of a dual purpose thermionic space reactor<br>for power and propulsion |
| J.H. Park, P.H. Seong                       | 111 Knowledge acquisition for alarm processing<br>systems of nuclear power plants using<br>documents analysis              |
| S.B. Degweker, S.V. Lawande,<br>S.S. Kapoor | 123 Accelerator driven sub-critical systems with<br>enhanced neutron multiplication  |

- |  |  |
|--|--|
| <b>H.U. Wenger, F. Botta, R. Chawla,<br/>M. Daum, D. Gavillet, Z. Kopajtic,<br/>G. Ledergerber, H.P. Linder, S. Röllin</b> | 141 A high-fluence 0.6 GeV proton irradiation experiment with thin uranium and thorium targets |
| <b>E. Laggiard, J. Runkel</b>  | 149 Noise analysis estimation of the moderator temperature coefficient for a PWR fuel cycle    |
| <b>J.K.-H. Karlsson, I. Pázsit</b>   | 157 An analytically solvable, axially non-homogeneous reactor model—I. general solutions       |

## NUMBER 3

- |  |   |
|--|---|
| <b>C.M. do Nascimento Abreu Pereira,<br/>R. Schirru, A.S. Martinez</b> | 173 Basic investigations related to genetic algorithms in core designs                                  |
| <b>J.S. Warsa, A.K. Prinja</b>   | 195 Bilinear-discontinuous numerical solution of the time dependent transport equation in slab geometry |
| <b>G.C. Pomraning</b>  | 217 A stochastic eigenvalue problem   |
| <b>G.D. Spriggs, R.D. Busch,<br/>T. Sakurai, S. Okajima,</b>           | 237 The equivalent fundamental-mode source  |

## NUMBER 4

- |  |  |
|--|--|
| <b>W.S. Yang</b>   | 265 A perturbation method for pointwise nuclide depletion calculations   |
| <b>J.L. Muñoz-Cobo, S. Chiva,<br/>J.M. Corberán and A. Escrivá</b> | 277 Interaction between natural convection and condensation heat transfer in the passive containment cooling condensers of the ESBWR reactor |
| <b>G.Y. Han and T.P. Stanley</b>                                   | 301 Thermal-hydraulic transient analysis of light water reactors using moving boundaries   |
| <b>S. Kiss and S. Lipcsei</b>                                      | 327 Combined validation of noise signals measured in NPPs  |

- D.C. Sahni and N.G. Sjöstrand** 347 Time eigenvalue spectrum for one-speed neutron transport in spheres with strong forward-backward scattering
- 359 Book review

## NUMBER 5

- J.-Y. Yang and K.-J. Lee** 361 Optimal operation planning of radioactive waste processing system by goal programming and fuzzy theory
- V.G. Toshinsky, H. Sekimoto and G.I. Toshinsky** 373 A method to avoid spatial treatment in xenon poisoning calculation while providing conservative reactivity estimates
- S.B. Degweker** 387 Simple formulae for interpretation of the dead time  $\alpha$  (first moment) method of reactor noise
- M.A. Aboustta and A.S. Martinez** 403 Improving the wide resonance approximation
- K.S. Chang** 411 Uncertainty analysis of leak rate calculation through pipes and slits
- A.J. Quist, R. van Geemert, J.E. Hoogenboom, T. Illés, C. Roos and T. Terlaky** 423 Application of nonlinear optimization to reactor core fuel reloading
- P.O. Kim, K.J. Lee and B.W. Lee** 449 Selection of an optimal nuclear fuel cycle scenario by goal programming and the analytic hierarchy process

## NUMBER 6

- J.H. Moon and C.S. Kang** 461 Use of fuzzy set theory in the aggregation of expert judgments
- S. Han, U.S. Kim and P.H. Seong** 471 A methodology for benefit assessment of using in-core neutron detector signals in core protection calculator system (CPCS) for Korea standard nuclear power plants (KSNPP)



- |   |  |
|---|--|
| <b>A.E. Aboanber, N. Hirakawa and M.O. Shaker</b> | 489 Efficient code system of core characteristics for small cylindrical thermal reactor            |
| <b>S. Şahin and H.M. Şahin</b>                    | 509 Radiation shielding mass saving for the magnet coils of the VISTA spacecraft                   |
| <b>A.C.F. Guimarães and N.F.F. Ebecken</b>        | 523 FuzzyFTA: a fuzzy fault tree system for uncertainty analysis                                   |
| <b>K. Singh and S.N. Sengupta</b>                 | 533 A finite fourier transform method for three dimensional steady state reactor core calculations |

### *Technical Notes*

- |   |  |
|---|--|
| <b>M.A. El-Kolaly, S.H. Abdel Samie and O.H. Sallam</b>         | 543 Computation of neutron dose distribution in a cylindrical phantom of tissue equivalent materials |
| <b>M. Afzal Ansari, R.K.Y. Singh, R.P. Gautam and S. Kailas</b> | 553 Fast neutron radiative capture cross-sections in fission product isotopes of neodymium           |
|   | 559 Erratum  |

## NUMBER 7

- |  |   |
|--|---|
| <b>F. Deeba, A.M. Mirza and N.M. Mirza</b>         | 561 Modeling and simulation of corrosion product activity in pressurized water reactors under power perturbations   |
| <b>G. Verdú, R. Miró, D. Ginestar and V. Vidal</b> | 579 The implicit restarted Arnoldi method, an efficient alternative to solve the neutron diffusion equation         |
| <b>G.C. Pomraning and A.K. Prinja</b>              | 595 A large deflection Fermi-Eyges pencil beam formula  |
| <b>M.O. Allagi and J.D. Lewins</b>                 | 611 Virtual sampling in variational processing of Monte Carlo simulation in a deep neutron penetration problem      |
| <b>W.S. Yang and H.G. Joo</b>                      | 629 LMR core temperature calculation based on implicit formulation of the ENERGY model and a Krylov subspace method |

**J.L.C. Chapot, F.C. Da Silva  
and R. Schirru**

641 A new approach to the use of genetic algorithms to solve the pressurized water reactor's fuel management optimization problem

657 Book review

## NUMBER 8

**L. Garcia-Delgado, M.J. Driscoll,  
J.E. Meyer and N.E. Todreas**

659 An economically optimum PWR reload core for a 36-month cycle

**Y.-I. Kim, Y.-G. Kim, S.-J. Kim  
and Y.-J. Kim**

679 Nuclear and thermal-hydraulic characteristics for an LMR core fueled with 20% enriched uranium metallic fuel

**Y.-I. Kim, Y.-J. Kim, S.-J. Kim  
and T.-K. Kim**

699 A semi-analytic multigroup nodal method

**W.M. Torres, B.D.B. Filho  
and D.K.S. Ting**

709 The design and experimental validation of an emergency core cooling system for a pool type research reactor

**R.T. Ackroyd, C.R.E. de Oliveira,  
A. Zolfaghari and A.J.H. Goddard**

729 On the exact resolution of the transport equation for an anisotropic scattering medium into a system of diffusive equations

### *Technical Note*

**Y. Ronen**

757 A new method for uranium enrichment

## NUMBER 9

**C.H.F. Batistela,  
M.T. de Vilhena and V. Borges**

761 Determination of the effective multiplication factor in a slab by the  $LTS_N$  method

**H.S. Aybar  
and N. Beithou**

769 Passive core injection system with steam driven jet pump for next generation nuclear reactors

**V.G. Toshinsky, H. Sekimoto,  
and G.I. Toshinsky**

783 Multiobjective fuel management optimization for self-fuel-providing LMFBR using genetic algorithms

## VIII

## Volume contents

- |   |     |  |
|---|-----|--|
| <b>H.H. Kim and N.Z. Cho</b>                              | 803 | Criticality calculation for cluster fuel bundles using grey Dancoff factor                                     |
| <b>H. Yapıcı, I. Çürüttü, V. Özceyhan and M. Kırbıyık</b> | 821 | Potential of a fusion-fission hybrid reactor using uranium for various coolants to breed fissile fuel for LWRs |
| <b>C.H. Pyeon, Y. Yamane, T. Misawa and S. Shiroya</b>    | 833 | Modified explicit higher order perturbation method with two energy groups                                      |

*Technical Note*

- |                                 |     |  |
|---------------------------------|-----|--|
| <b>I. Khamis and K. Khattab</b> | 845 | Reactivity-flooding effect of the MNSR inner irradiation sites |
|---------------------------------|-----|--|

## NUMBER 10

- |  |     |  |
|--|-----|--|
| <b>M. Milgram</b>  | 853 | Diffusion coefficients and collision probabilities for annular regions of low optical thickness II: the general case |
| <b>M.-K. Kim, M.H. Shin and M.J. Chung</b>                       | 905 | A gain-scheduled $L_2$ control to nuclear steam generator water level  |
| <b>H.-K. Joo, H.-G. Jung, T.-K. Kim, J.-M. Noh and Y.-J. Kim</b> | 917 | Verification of HELIOS and HELIOS/AFEN against PWR critical experiments loaded with high plutonium content MOX fuels |
| <b>C.F. Segatto, M.T. Vilhena and M.G. Gomes</b>                 | 925 | The one-dimensional $LTS_N$ solution in a slab with high degree of quadrature  |

*Technical Note*

- |   |     |  |
|---|-----|--|
| <b>P. Petkov, T. Takeda and T. Mori</b> | 935 | Comparison of the flat and linear source variants of the method of characteristics |
|---|-----|--|

## NUMBER 11

- |                        |     |   |
|------------------------|-----|---|
| <b>M.M.R. Williams</b> | 943 | On the use of conformal transformations to calculate the eigenvalues of the Helmholtz equation for cylinders with polygonal cross section |
|------------------------|-----|---|



- L. Ruby and E. Elias** 977 Benchmarking a diffusion code for a cylindrical-core reactor
- E.K. Lee, Y.H. Kim, K.H. Cha and M.G. Park** 983 Reconstruction of core axial power shapes using the alternating conditional expectation algorithm
- J.H. Kim and P.H. Seong** 1003 Knowledge base verification of NPP expert systems based on hierarchical enhanced colored Petri net (HECPN)
- K. Nikitin, M. Saito, V. Artisyuk, A. Chmelev and V. Apse** 1021 An approach to long-life PWR core with advanced U-Np-Pu fuel
- Technical note*
- I. Khamis and K. Khattab** 1031 Lowering the enrichment of the Syrian miniature neutron source reactor

## NUMBER 12

- E. Altstadt and F.-P. Weiss** 1037 Finite-element based vibration analysis of WWER-440 type reactors
- J.L. François and H.A. López** 1053 SOPRAG: a system for boiling water reactors reload pattern optimization using genetic algorithms
- F.E. Jatuff and C.J. Ghob** 1065 Time-dependent boundary source term for advanced nodal diffusion theory
- A. Ferrara, M. Marseguerra and E. Zio** 1083 A comparison between the advection-dispersion and the Kolmogorov-Dmitriev model for groundwater contaminant transport
- S.H. Ghyym** 1097 A semi-linguistic fuzzy approach to multi-actor decision-making: application to aggregation of experts' judgments
- G. Házi and G. Por** 1113 Numerical simulator for noise diagnostic investigations in NPPs

## NUMBER 13

- K. Behringer and P. Wydler** 1131 On the problem of monitoring the neutron parameters of the fast energy amplifier

- K. Drozdowicz and V.H. Gillette** 1159 The thermal neutron diffusion cooling coefficient in polyethylene
- V.H. Gillette, M.M. Scaffoni, J.R. Granada and M.E. Pepe** 1167 Thermal neutron cross sections for moderator materials: comparison of a synthetic scattering function and *NJOY* results
- J.K.-H. Karlsson and I. Pázsit** 1183 Localisation of a channel instability in the Forsmark-1 boiling water reactor

*Technical notes*

- T.M. Beam, K.N. Ivanov, A.J. Baratta and H. Finnemann** 1205 Nodal kinetics model upgrade in the Penn State coupled TRAC/NEM codes
- G. Házi and G. Pór** 1221 On bias of transfer function of numerical ordinary differential equation solvers in the frequency domain

## NUMBER 14

- H.R. Jeng and Chin Pan** 1227 Analysis of two-phase flow characteristics in a natural circulation loop using the drift-flux model taking flow pattern change and subcooled boiling into consideration
- K. Devan and R.S. Keshavamurthy** 1253 A rational approximation to Reich-Moore collision matrix of non-fissile nuclides
- Joo Hyun Moon and Chang Sun Kang** 1265 Potential impacts of the revised source term on future LWR design
- P. Baeten and H. Aït Abderrahim** 1277 An absolute method for measuring  $\beta_{eff}$  and  $l$  in source driven subcritical facilities
- T. Tambouratzis and M. Antonopoulos-Domis** 1287 On-line stability monitoring of BWRs using artificial neural networks

*Technical note*

- Mohammad Moshaashae** 1303 Scattered energy spectra from the interaction of multi-energy photons with single layer shields
- M. Moshaashae and K. Zeng** 1313 Determination of heat generation in double layer shields

## NUMBER 15

- K. Nikitin, M. Saito, V. Artisyuk, A. Chmelev and V. Apse** 1319 Advanced U-Np-Pu fuel to achieve long-life core in heavy water reactor
- K.N. Ivanov, U. Grundmann, S. Mittag and U. Rohde** 1331 Comparative study of a boron dilution scenario in VVER reactors
- M. Maiani and B. Montagnini** 1341 A boundary element-response matrix method for the multigroup neutron diffusion equations
- I. Pázsit and V. Arzhanov** 1371 Theory of neutron noise induced by source fluctuations in accelerator-driven subcritical reactors
- C. Housiadas and M. Antonopoulos-Domis** 1395 The effect of fuel temperature on the estimation of the moderator temperature coefficient in PWRs

*Technical note*

- K.N. Ivanov, R. Macian-Juan, A. Irani and A.J. Baratta** 1407 Features and performance of a coupled three-dimensional thermal-hydraulic/kinetics TRAC-PF1/NEM pressurized water reactor (PWR) analysis code

## NUMBER 16

- A.K. Prinja** 1419 Obituary—Gerald C. Pomraning (1936–1999)
- T. Mukohara, S.-I. Koshizuka and Y. Oka** 1423 Core design of a high-temperature fast reactor cooled by supercritical light water
- G. Horhoianu, D.V. Ionescu and G. Olteanu** 1437 Thermal behaviour of CANDU type fuel rods during steady state and transient operating conditions
- R. Stasiulevicius, C. Rodrigues and C.B.R. Parente** 1447 Natural crystals for use with the neutron diffraction technique
- Y.K. Ji and Y.S. Lee** 1457 Dynamic response analyses of the upper guide structure assembly for Korean next generation reactor

**H. Konno, S. Kanemoto  
and Y. Takeuchi**

- 1465 Parametric stochastic stability and decay ratio for a stochastic nonlinear BWR model below the Hopf bifurcation

**H. van Dam**

- 1489 Loss-of-cooling consequences in critical and in accelerator driven reactor systems

**W.S. Park, C.-S. Gil, D.H. Yu,  
H.J. Shim and C.H. Kim**

- 1497 TRU incineration characteristics of thermal and fast subcritical reactors

*Technical note*

**R. Geguchadze**

- 1509 Angular exposure build up factors for combined energy source photons penetrating aluminium, steel and lead shielding slabs

NUMBER 17

**R. Nasir, N.M. Mirza  
and S.M. Mirza**

- 1517 Sensitivity of reactivity insertion limits with respect to safety parameters in a typical MTR

**W.T. Hwang, G. Cho  
and M.H. Han**

- 1537 A methodology for optimisation of counter-measures for animal products after a nuclear accident and its application

**D.C. Sahni, I. Pázsit  
and N.S. Garis**

- 1551 A co-ordinate transformation technique for studying flux perturbations induced by strong vibrating absorbers

**Y.-M. Lee and C.-H. Kang**

- 1569 Two-dimensional nuclide decay chain transport in a fractured porous medium by a control volume approach

*Technical notes*

**B. Eduardo**

- 1593 Angular exposure build up factors for combined energy photons emitted from a line geometry radioactive source

**H. Khalafi and M. Gharib**

- 1601 Calculational tools to conduct experimental optimization in Tehran research reactor

NUMBER 18

**J.-J. Jeong, K.S. Ha, B.D. Chung  
and W.J. Lee**

- 1611 Development of a multi-dimensional thermal-hydraulic system code, MARS 1.3.1

- M.V. Ricciardi, L. Barone-Tonghi, G. Cuttone, G. Ciavola, G. Di Bartolo, M. Menna, G. Fortuna, S. Monti and L. Tecchio** 1643 Dependence of exotic nuclides production on target and beam features
- K.G. Lee and S.H. Chang** 1657 Development of conceptual design tool for liquid metal cooled-reactors
- M.-G. Park, Y.-H. Kim, K.-H. Cha, and M.-K. Kim** 1669  $H_\infty$  Filtering for dynamic compensation of self-powered neutron detectors  
A linear matrix inequality based method





